


From the INTERNATIONAL BUREAU

PCT

NOTIFICATION OF TRANSMITTAL
OF COPIES OF TRANSLATION
OF THE INTERNATIONAL PRELIMINARY
EXAMINATION REPORT
(PCT Rule 72.2)

To:

YOSHITAKE, Kenji
Kyowa Patent & Law Office
Room 323, Fuji Bldg.
2-3, Marunouchi 3-chome
Chiyoda-ku, Tokyo 100-0005
JAPON



Date of mailing (<i>day/month/year</i>) 17 February 2005 (17.02.2005)	
Applicant's or agent's file reference 143481-032	IMPORTANT NOTIFICATION
International application No. PCT/JP2003/009941	International filing date (<i>day/month/year</i>) 05 August 2003 (05.08.2003)
Applicant TOKYO ELECTRON LIMITED et al	

1. Transmittal of the translation to the applicant.

The International Bureau transmits herewith a copy of the English translation made by the International Bureau of the international preliminary examination report established by the International Preliminary Examining Authority.

2. Transmittal of the copy of the translation to the elected Offices.

The International Bureau notifies the applicant that copies of that translation have been transmitted to the following elected Offices requiring such translation:

CN, EP, KR

The following elected Offices, having waived the requirement for such a transmittal at this time, will receive copies of that translation from the International Bureau only upon their request:

US

3. Reminder regarding translation into (one of) the official language(s) of the elected Office(s).

The applicant is reminded that, where a translation of the international application must be furnished to an elected Office, that translation must contain a translation of any annexes to the international preliminary examination report.

It is the applicant's responsibility to prepare and furnish such translation directly to each elected Office concerned (Rule 74.1). See Volume II of the PCT Applicant's Guide for further details.

The International Bureau of WIPO
34, chemin des Colombettes
1211 Geneva 20, Switzerland

Authorized officer

Yoshiko Kuwahara

Facsimile No.+41 22 740 14 35

Facsimile No.+41 22 338 90 90